


TECHO — BLOC

INSPIRING
COMMERCIAL
ARTSCAPES





EMP**WERING**
CREATIVE
LANDSCAPE
DESIGN

STEP OUTSIDE THE RDINARY

"We didn't
fit the mold
so we made
our own."

Charles Ciccarello
et Nancy La Rocca
Founders



Passion, knowledge, innovation and an eye for design – these are the qualities that brought Techo-Bloc to life and continue to drive its success. These are also the qualities that define Techo-Bloc’s co-founders: Charles Ciccarello and Nancy La Rocca.

As the son of a landscaper, Charles was exposed to the industry from a young age and quickly became captivated by the craft. He would spend every summer learning and soaking in every part of it, but something always left him feeling uninspired. And so, at the age of 24, he and his wife Nancy sought to break the mold that was confining the industry.

Daughter of a designer and a high-end residential developer, Nancy immediately saw how investing in outdoor design to maximize useable square footage could enhance consumer experiences in public and commercial spaces. This meant that they would need to create pavement options with eye-catching colors, different shapes and sizes, and striking textures – options that would break the mold of the cookie-cutter style brick everyone was installing. Armed with a passion for aesthetics, design-driven vision, and a great sense of operational organization, she would play an essential role in the founding and growth of Techo-Bloc.

Her quest to create products that bring art into the outdoors, paired with Charles’ determination to create products that would make installation challenges and engineering limitations obsolete, created an unstoppable business partnership and a force to be reckoned with.

The path to success was not always an easy road. The first few years are remembered to be capital-intensive with

a steep learning curve. Mistakes were made along the way and getting customers to trust the brand and product’s quality enough to steer away from the traditional stones was difficult.

Through these hurdles, Charles and Nancy found motivation to keep pushing through, knowing that their shared vision would one day revolutionize the landscaping industry. They quickly learned that to succeed, they would need to differentiate themselves from the pack, and deliver consistent high-quality products. Inspired by the world of flooring, ancient and current, textures from around the world and design from fashion and architecture, they created new products of different finishes, colors, shapes, sizes and styles. And every chance they got, they found ways to make their products better, stronger and more aesthetically pleasing.

The success of their innovative products has allowed for Techo-Bloc’s distribution network to grow to over 700 stores across the USA & Canada and for their team to grow from five employees to over 800. But that’s not all. Through design-driven products, resources, and creative mockups, they have inspired a community of contractors, architects and designers that all work towards a common goal: to create inspiring artscapes.

Today, Techo-Bloc is headed by a core team of individuals who share the same vision and insatiable thirst to push the boundaries of outdoor design, reimagining what outdoor spaces can look like. They continue to step outside the box to impress, to surpass industry standards and to push the envelope beyond existing options for landscape designs. Keeping true to the initial vision, every day they try to find new ways to carve new molds because they will never be comfortable fitting into anyone else’s idea of good enough.

TABLE OF CONTENTS

08

LOOK

08 Modern Architectural Masterpieces

24

LEARN

- 24 Mix & Match
- 32 The Designer Playground
- 36 The Designer Toolbox
- 38 Support and Services
- 39 Find a rep
- 40 Exclusive Technologies
- 42 Benefits of Permeable Pavement
- 44 Case Studies
- 45 Hatch Patterns



46

BLU COLLECTION

- 48 Blu Grande Modern
- 49 Blu Grande Slate
- 50 Blu 80 mm Modern
- 52 Blu 80 mm Slate
- 54 Squadra
- 55 Valet



56

INDUSTRIA COLLECTION

- 58 Industria Collection Slab
- 59 Industria Flora
- 60 Industria Collection Pavers



64

MODERN COLLECTION

- 66 Diamond
- 67 Linea
- 68 Hexa 60
- 69 Hexa 100
- 70 Para
- 71 Westmount



72

NATURAL COLLECTION

- 74 Antika
- 75 Borealis
- 76 Everest
- 77 Ocean Grande
- 78 Villagio
- 79 Travertina Raw

80

PERMEABLE COLLECTION

- 82 Aquastorm
- 83 Mika
- 84 Hydra
- 85 Mechanical Installation
- 86 Slabs and Pavers
Shapes & Sizes



88

WALLS & CAPS COLLECTION

- 90 Borealis
- 91 Brandon
- 92 G-Force
- 93 Graphix
- 94 Mini-Creta Architectural
- 96 Raffinato Wall
- 97 Raffinato Cap
- 98 Semma
- 99 Travertina Raw
- 100 Skyscraper



102

STEPS COLLECTION

- 104 Borealis
- 105 Raffinato
- 106 Röcka
- 107 York
- 108 Walls, Caps and Steps
Shapes & Sizes



110

RESOURCES

- 110 Color Coordinate
- 111 SRI Index
- 112 Application Chart
- 113 Compatibility Chart
- 114 Buzon
- 116 Warranty

For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients are present within the recipe to allow for a range in tones, veining and textures from one stone to another. Color samples for reference only. Actual product colors may vary.

Eastern USA encompasses these states: CT, DE, MA, MD, ME, NC, NH, NJ, NY, Eastern PA, RI, SC, VA & VT.



LOOK




M^{ODERN} ARCHITECTURAL MASTERPIECES


DID YOU KNOW?

Industria is the most complete paver collection with 17 sizes, 5 colors and 5 textures.

INDUSTRIA PAVER

LOCATION	ATLANTA, GEORGIA, USA
PROJECT	URBAN PARK
DESIGN FIRM	KIMLEY HORN
PRODUCT	INDUSTRIA 300 × 150
COLOR	BEIGE CREAM, GREYED NICKEL, SHALE GREY
TEXTURE	HD ² SMOOTH





DIAMOND PAVER

LOCATION TORONTO, ONTARIO, CANADA



PROJECT ST-ANDREW'S PLAYGROUND

DESIGN FIRM DTAH

PRODUCT DIAMOND PAVER

COLOR GREYED NICKEL, ONYX BLACK

TEXTURE HD² SMOOTH





DID YOU KNOW?
Diamond paver offers 7 different
laying patterns.






DID YOU KNOW?
 Para is available in 3 sizes, each size is sold separately and offers 14 possible laying patterns.

PARA SLAB

LOCATION	BOWLING GREEN, KY
PROJECT	EMBASSY SUITES HOTEL
INSTALLER	UNIQUE HARDSCAPES
PRODUCT	PARA 500 × 750
COLOR	BEIGE CREAM, ONYX BLACK
TEXTURE	HD ² SMOOTH









DID YOU KNOW?
 There are over 465 possible combinations with the Industria collection.



INDUSTRIA PAVER


LOCATION	LAVALTRIE, QUEBEC, CANADA
PROJECT	PLACE DU 350 ^e
DESIGN FIRM	FOLIAISON
PRODUCT	INDUSTRIA 150 × 150
COLOR	ONYX BLACK, GREYED NICKEL
TEXTURE	HD ² SMOOTH






INDUSTRIA SLAB

LOCATION	MONTREAL, QUEBEC, CANADA
PROJECT	LE DUKE CONDOS
DESIGN FIRM	LE GROUPE ARCHITEX
PRODUCT	INDUSTRIA 600 x 600
COLOR	ONYX BLACK
TEXTURE	HD ² SMOOTH






DID YOU KNOW?
Industria slab is approved for roof deck
pedestal-set applications.








WESTMOUNT PAVER

LOCATION	MONTREAL, QUEBEC, CANADA
PROJECT	VIGER STATION
DESIGN FIRM	BC2
PRODUCT	WESTMOUNT
COLOR	MERLOT
TEXTURE	HD ² SMOOTH



DID YOU KNOW?

The versatile Westmount paver is perfect for both pedestrian and vehicular applications.



DID YOU KNOW?

Blu Grande is available in Smooth and Polished textures. Granitex is available upon request.



BLU GRANDE SLAB

LOCATION	TOWSON, MARYLAND, USA
PROJECT	TOWSON UNIVERSITY
DESIGN FIRM	FLOURA TEETER & TOWSON UNIVERSITY
PRODUCT	BLU GRANDE, BLU 80 VARIOUS
COLOR	GREYED NICKEL, SHALE GREY, CHAMPLAIN GREY
TEXTURE	GRANITEX, SLATE





DID YOU KNOW?

Raffinato wall is double-sided for a flawless finish on both sides.

RAFFINATO WALL

LOCATION CHARLOTTE, NORTH CAROLINA, USA

PROJECT FEDERAL COURTHOUSE

CONTRACTOR DRAW ENTERPRISES

PRODUCT RAFFINATO WALL

COLOR BEIGE CREAM

TEXTURE SMOOTH



INDUSTRIA PAVER

LOCATION GREENVILLE, SOUTH CAROLINA, USA

PROJECT UNITY PARK

DESIGN FIRM MKSK

PRODUCT INDUSTRIA 300 × 100

COLOR ONYX BLACK, SALT & PEPPER, GRANITE GREY, GREY SALT

TEXTURE HD² GRANITEX



LEARN


MIX & MATCH

From larger-than-life to small and subtle, to super smooth or ultra-detailed, mix and match to your heart's content.



A Play on Shapes

Bring shape to your commercial spaces with paving stones that highlight the right angles. From squares and circles, to triangles and trapezoids, geometric pavers and slabs can be laid in any form you desire.




Industria Triangle 300 Series
in Onyx Black & Greyed Nickel



Artistry Unleashed

Contrasting colors doesn't just enhance aesthetics; it fosters an environment where the ordinary becomes extraordinary. This thoughtfully designed floor is an expression of art, carefully curated to enhance the overall ambiance of any commercial setting.




Valet
in Shale Grey & Onyx Black



Artful Outdoor Weaving

Opt for a spectacular woven effect created by smaller, rough-hewn Valet pavers amongst elegant Ocean Grande slabs. The rhythmic interplay of pavers not only enhances visual appeal but also adds a tactile dimension to your commercial space.



Ocean Grande & Valet
in Beige Cream, Greyed Nickel & Onyx Black




Give Shape to Creative Design

Make a bold statement with the Diamond paver. Introduce visual interest with the intricately laid out diamond paver, tricking the eye while creating strikingly large scale impact.



Diamond
in Greyed Nickel & Onyx Black

LEARN MIX & MATCH



Squadra & Blu Grande
in Merlot, Chestnut Brown & Beige Cream



Fade to Fabulous

Gradient shades of the same hue make an elegant but subtle design. Whether you opt for cooler tones of grey or warmer browns and reds, laying stones in a dreamy gradient will always make for a showstopping design.



Industria 200 Series
in Greyed Nickel & Onyx Black




LEARN MIX & MATCH



Tapestry-inspired Patterns

Immerse your surroundings in the elegance of woven beauty as intricate lines and motifs seamlessly come together, creating a living tapestry beneath your feet.




Valet
in Shale Grey & Onyx Black



Checker Board Redefined

Reinvent a classic style checker board tile pattern. Step into a realm of classic sophistication as the iconic tartan design makes a bold statement in landscape design.




Industria 900 Series
in Shale Grey, Onyx Black & Beige Cream

Deconstructed Color Play

Carefully deconstructed color play is pure delight for the eye. Create a subtle sense of direction and continuity by experimenting with light and dark shades from the same color palette.



Hexa in Greyed Nickel, Chestnut Brown, Onyx Black & Beige Cream



THE DESIGNER PLAYGROUND

COLORS

We love naturals. Thoughtful planning of our color selection means that all your favorite shades show up in multiple collections, making it easy for you to mix, match and contrast to your heart's content. Refer to our color chart on p.110 to find which products are available in your favorite colors. We can also create custom colors for your project with a minimum order.

RED

Merlot



BROWN

Chocolate Brown




Smoked Pine



Rock Garden Brown



Hazelnut Brandy



Chestnut Brown



Sandlewood




BEIGE

Ivory




Beige Cream



BLACK

Onyx Black



GREY

Champlain Grey




Grey



Shale Grey



Azzurro




Riviera



Victoria



Greyed Nickel



Color samples are for reference only and actual product colors may vary.



TEXTURES

Our textures trick the eye with surface appearances that range from super smooth to ultra-detailed and stay true even to the touch.

STANDARD COLLECTION



Split Face



Smooth



Slate



Wood



Brushed Travertine



Slate



HD²

Ocean Waves



Polished



Granitex



Smooth



Slate




Natural Stone



SCALE

Mind the scale you're working with. Larger stones are fit for grand spaces while smaller ones are ideal for banding, contouring and mosaics.





SHAPES

Ready for something different? There's a lot more to paving stones than just right angles. From classic to creative, explore all the options — then let them be the building blocks for your next big idea.

LEARN

THE DESIGNER'S TOOLBOX

DISCOVER THE DESIGN TOOLS
THAT WILL MAKE YOUR NEXT
LANDSCAPE PROJECT A SUCCESS.



AUTOCAD®

SketchUp

VECTORWORKS
A NEMETSCHER COMPANY

Details and Specifications

Techo-Bloc offers a continuously growing library of Installation Details, Pre-engineered retaining wall cross-sections, AutoCAD Hatch patterns, SketchUp textures and models, Vectorworks Hardscape Tool resources, and specifications for you to create your preliminary and construction documents, drawings and renders.



Planning Tools

We have curated a collection of design files, patterns and guide to be used with the most popular design software, empowering you to create projects quickly and easily.



Supporting Documentation


Techo-Bloc offers a comprehensive library of supporting documentation such as Installation Guides, Technical Data Sheets, Design Charts, Test Reports, Case Studies and more.



Build Your Custom Sample Box

Looking to see and touch our products firsthand? Select different swatches and we'll get them sent to your right away. Choose your products, pick your desired colors and textures.

VISIT WWW.TECHO-BLOC.COM/SAMPLES



LEARN

SUPPORT AND SERVICES

EVERYTHING YOU
NEED TO BRING
YOUR VISION TO LIFE

Engineering Services

Our engineering team is experienced in the field of segmental pavements and segmental retaining walls. They have, and continue to be, involved in multiple committees with the CMHA (formerly ICPI and NCMA), as well as participating in the development of updated industry standards (ASCE and CSA).

Retaining Wall Preliminary Design and Evaluation

For preliminary purposes (feasibility evaluation, tendering, etc.), Techo-Bloc provides you with a comprehensive set of Pre-Engineered cross-section drawings. We will assist you in finding the cross-section that meets your project needs or we will prepare a cross-section specific to your project.

Retaining Wall Final Stamped Design Documents


Site-specific final design packages, including stamped construction drawings, calculations and material quantities estimate can be provided to you upon request.

Articles and Blog

Whether you're looking to learn about solutions to some of the industry's top challenges, see our products in action, or get design tips, we have an article for you.

Lunch & Learn Sessions

During these workshops, held in-person or virtually, we will take a deep dive into the subject matter of your choice and present solutions to current or upcoming challenges. AIA & LACES accredited CEU presentations available.



Find your Local Rep

Whether it's project pricing, sample library updates, or product inquiries, our committed Commercial Representatives are ready to assist you. Locate your local rep now and begin your journey towards informed decisions and seamless collaboration. Connect for tailored solutions today.



LEARN

EXCLUSIVE TECHNOLOGIES



Ultimate stain resistance

MAKE A MESS, NO STRESS

Developed to seal in the beauty of wet cast products, Klean-Bloc technology provides an advanced protective barrier against everyday spills. Enjoy the beauty and character of natural materials like travertine and wood grain, without the worry of maintenance.



WET CAST



DURABILITY



ULTRA-DETAILED
TEXTURE



VIBRANT
COLOR



STAIN
RESISTANCE



REDUCED
ABSORPTION
RATE



- Factory Sealed Stain Resistance
- Wet Cast Product



- 75 Borealis
- 79 Travertina Raw
- 83 Mika
- 107 York



Vibrant color, ultra-detailed texture

A NEW ERA OF CONCRETE

Boasting higher particles per square inch, this dry cast technology leads to a tighter surface with less pores for the most flawless of finishes. From the smoothest smooth to the most intricate textures, HD² products are always ready for a close-up.




STANDARD COLLECTIONS

Quality and durability you can trust

THE FOUNDATION FOR A PERFECT PAVER

With 35+ international patents, we aim to strike the perfect balance between beauty and durability. All Techo-Bloc stones are engineered to handle freeze-thaw climates, and are the ideal building blocks for any style of landscape design.



48	Blu 60 mm	68	Hexa
50	Blu 80 mm	70	Para
58	Industria	71	Westmount
66	Diamond	77	Ocean Grande

THE BENEFITS OF PERMEABLE PAVEMENT

With climate change resulting in the increased frequency of intense rain events and causing additional stress on our environments, we are motivated to find sustainable ways to update outdoor spaces. As stormwater runs off urban surfaces, sediment, road salts, heavy metals, oils, pesticides and other harmful pollutants are picked up and are being fed into our rivers and lakes. Designed to let water pass through the joints and filter it back into the ground, permeable options are paving the way for an eco-conscious solution.



Preserve Hydrology

Maintain natural hydrologic conditions that existed prior to development.



Lower Runoff Volume

Eliminates or lessens runoff amounts, contributing to improved stormwater management.



Reduce Peak Flow

Discharge to sewer is spread over a longer period.



Reduce Network Overload

Ease stress on stormwater networks.



LEED Certification Credits

Gain credits for LEED certification, showcasing your commitment to sustainable practices.



Enhance Water Quality

Contribute to cleaner water by filtering pollutants and through several other processes.




Replenish Water Table

Support groundwater recharge, aiding in the replenishment of local water tables.



Minimize Erosion Risk

Reduce the potential for flooding and erosion connected to increased runoff.



Combat Heat Island Effect

The light-colored pavers and evaporation of infiltrated rainwater help cool surrounding air, combating heat island effects.

Exploring the Depths: Permeable Application Layers

Permeable Paver

Designed with larger joint space to allow storm water to percolate through.

Small Aggregate (2.5-10 mm)

Filters out contaminants and debris from the rainwater.

Medium Aggregate (5-28 mm)


Transition layer that further filters out pollutants.

Large Aggregate (40-80 mm)

Reservoir layer for rainwater harvesting and the evacuation of excess water through a drain pipe.

Geotextile

Filter fabric that separates large aggregate from the soil underneath.



Perfect Joint Filling



Clean Stone (ASTM #8, 89, 9 or equivalent)

Permeable by design

- 82 Aquastorm
- 83 Mika
- 84 Hydra

Excellent permeable capabilities

- 48 Blu 60 mm
- 50 Blu 80 mm
- 55 Valet
- 74 Antika
- 79 Travertina Raw



If you see the permeable icon, some or all of the products in that collection are permeable.

LEARN

CASE STUDIES




Beyond the Blueprint: Real-world Commercial Hardscape Design Success Stories

Elevate your architectural projects with a wealth of real-world insights for inspired design solutions. Dive into our curated collection of commercial case studies, showcasing triumphs in design, functionality, and problem-solving. Uncover inspiration and strategies to create exceptional spaces that blend creativity with practicality. Revolutionize your approach with proven success stories today!


HATCH PATTERNS

Explore Techo-Bloc's Hatch Patterns Brochure and access a meticulously curated collection. Elevate your projects with precision-designed patterns that seamlessly blend innovation and elegance. Redefine architectural excellence today by downloading the entire pattern range from our dedicated web page.





BLU COLLECTION



BLU GRANDE MODERN SLAB	48
BLU GRANDE SLATE SLAB	49
BLU 80 MM MODERN PAVER	50
BLU 80 MM SLATE PAVER	52
SQUADRA PAVER	54
VALET PAVER	55

BLU GRANDE

SLAB

GRANDE



19 1/2 x 32 1/2 x 2 3/8 in
495 x 825 x 60 mm

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT



HIGH DEFINITION
& DENSITY

APPLICATIONS



PEDESTRIAN



ADA




Smooth



HD² Smooth

Polished*



Chestnut Brown






ChAMPLAIN Grey






Beige Cream






Greyed Nickel



Shale Grey



Onyx Black



Minimizes pores
for a smoother finish.

*Polished is made-to-order, minimum
order of 500 sq. ft. Deposit required.
Polished is 2 3/8 in height.

↑ HD² Smooth in Greyed Nickel

BLU GRANDE

SLAB

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT



HIGH DEFINITION
& DENSITY

APPLICATIONS



PEDESTRIAN

GRANDE



19 1/2 x 32 1/2 x 2 3/8 in
495 x 825 x 60 mm

Slate

HD² Slate*



Chestnut Brown

Sandalwood**

Champlain Grey

Shale Grey

HD² Minimizes pores
for a smoother finish.

*Only available in USA.

**Sandalwood HD² only available in Eastern USA.
See page 11 for list of Eastern States.



↓ Shale Grey

BLU 80 MM PAVER

FEATURES



DRY CAST
COLLECTION



PERMEABLE



DE-ICING SALT
RESISTANT



HIGH DEFINITION
& DENSITY

APPLICATIONS



PEDESTRIAN



RESIDENTIAL/
VEHICULAR



PEDESTRIAN
PLAZA



ADA



PARKING LOTS

Smooth

HD² Smooth

Polished*

Chocolate Brown**			
Chestnut Brown			
Champlain Grey			
Beige Cream			
Greyed Nickel			
Shale Grey			
Onyx Black			



Minimizes pores
for a smoother finish.

VARIOUS SIZES

6 x 13



13 × 6 ½ × 3 ⅛ in
330 × 165 × 80 mm



13 × 13 × 3 ⅛ in
330 × 330 × 80 mm



13 × 19 ½ × 3 ⅛ in
330 × 495 × 80 mm



13 × 6 ½ × 3 ⅛ in
330 × 165 × 80 mm

*Polished is made-to-order, minimum order of 500 sq. ft.
Deposit required. Not available in 6 × 13
Polished is 3 ⅛ in - 78 mm in height.

**Chocolate Brown is only available in 6 × 13.

***For permeable applications, the installation should combine Blu various sizes
with Blu 6 × 13 in a modular pattern. A min. 4.5% surface opening requires
75% of Blu 6 × 13 and 25% of Blu.



BLU 80 MM PAVER

FEATURES



DRY CAST
COLLECTION



PERMEABLE



DE-ICING SALT
RESISTANT



HIGH DEFINITION
& DENSITY

APPLICATIONS



PEDESTRIAN



RESIDENTIAL/
VEHICULAR




PEDESTRIAN
PLAZA



PARKING LOTS

Slate

HD² Slate*



Minimizes pores
for a smoother finish.

VARIOUS SIZES

6 x 13



13 × 6 ½ × 3 ⅞ in
330 × 165 × 80 mm



13 × 13 × 3 ⅞ in
330 × 330 × 80 mm



13 × 19 ½ × 3 ⅞ in
330 × 495 × 80 mm



13 × 6 ½ × 3 ⅞ in
330 × 165 × 80 mm

*Only available in USA.

**Chocolate Brown and Onyx black only available in 6 × 13

***Sandlewood not available in 6 × 13. Sandlewood HD² only available in Eastern USA.

****For permeable applications, the installation should combine Blu various sizes with Blu 6 × 13 in a modular pattern. A min. 4.5% surface opening requires 75% of Blu 6 × 13 and 25% of Blu.



SQUADRA

PAVER

DIMENSIONS



3 1/4 x 3 1/4 x 2 3/8 in
83 x 83 x 60 mm

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT

APPLICATIONS



PEDESTRIAN



RESIDENTIAL/
VEHICULAR



Merlot

Chestnut Brown

Shale Grey

Onyx Black

↑ Merlot and Chestnut Brown

FEATURES

-  DRY CAST COLLECTION
-  PERMEABLE
-  DE-ICING SALT RESISTANT

APPLICATIONS


-  PEDESTRIAN
-  RESIDENTIAL/VEHICULAR
-  PEDESTRIAN PLAZA
-  PARKING LOTS

VALET PAVER

DIMENSIONS




6 1/2 x 6 1/2 x 2 3/8 in
165 x 165 x 60 mm




Chestnut Brown
Champlain Grey
Shale Grey
Onyx Black



↓ Onyx Black and Shale Grey



INDUSTRIA COLLECTION



INDUSTRIA SLAB	58
INDUSTRIA FLORA SLAB	59
INDUSTRIA PAVERS	60

INDUSTRIA

SLAB

600 SLAB SERIES*



23 5/8 x 23 5/8 x 2 1/2 in
600 x 600 x 60 mm

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT



HIGH DEFINITION
& DENSITY

APPLICATIONS



PEDESTRIAN




RESIDENTIAL/
VEHICULAR



PEDESTRIAN
PLAZA



ADA



HD² Smooth

HD² Polished**

HD² Granitex**

Chestnut Brown

Beige Cream

Greyed Nickel

Shale Grey

Onyx Black



*HD² Polished is 2 5/8 in - 58 mm in height

**HD² Polished and HD² Granitex are made-to-order, minimum order of 500 sq. ft. Deposit required.

***For this application, it is recommended that this product be installed on a concrete base as designed by a local Engineer.

↑ Industria 600 HD² Smooth in Onyx Black

INDUSTRIA FLORA

SLAB

FEATURES

- 
 DRY CAST
COLLECTION
- 
 DE-ICING SALT
RESISTANT
- 
 HIGH DEFINITION
& DENSITY

APPLICATIONS

- 
 PEDESTRIAN
- 
 RESIDENTIAL/
VEHICULAR
- 
 PEDESTRIAN
PLAZA
- 
 ADA

FLORA SERIES



23 5/8 x 23 5/8 x 2 3/8 in
600 x 600 x 60 mm

	Greyed Nickel	Beige Cream
Dahlia		
Jasmine		
Daphodile		
Lily		
Daisy		
Rosemary		

HD² Minimizes pores for a smoother finish.

All patterns sold separately.

*For this application, it is recommended that this product be installed on a concrete base as designed by a local Engineer.

↓ Various pattern - Greyed Nickel



INDUSTRIA

PAVER

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT



HIGH DEFINITION
& DENSITY

APPLICATIONS*



PEDESTRIAN



RESIDENTIAL/
VEHICULAR



PEDESTRIAN
PLAZA



PARKING LOTS



SECONDARY
STREETS



MAIN STREETS



ADA

*See Techo-Spec for applications by Series.

	HD² Smooth	HD² Polished*	HD² Granitex	Tactile
Chestnut Brown				
Beige Cream				
Greyed Nickel				
Shale Grey				
Onyx Black				



Minimizes pores
for a smoother finish.

150 SERIES**



5 7/8 × 5 7/8 × 3 15/16 in
150 × 150 × 100 mm

200 SERIES** (All sizes are sold separately)



7 7/8 × 7 7/8 × 3 15/16 in
200 × 200 × 100 mm



7 7/8 × 15 3/4 × 3 15/16 in
200 × 400 × 100 mm

300 SERIES*** (All sizes are sold separately)



11 13/16 × 3 15/16 × 3 15/16 in
300 × 100 × 100 mm



11 13/16 × 5 7/8 × 3 15/16 in
300 × 150 × 100 mm



11 13/16 × 11 13/16 × 3 15/16 in
300 × 300 × 100 mm



Triangle

11 13/16 × 11 13/16 × 3 15/16 in
300 × 300 × 100 mm



Tactile

11 13/16 × 11 13/16 × 3 15/16 in
300 × 300 × 100 mm

*HD² Polished is 3 7/8 in - 98 mm in height

**150 and 200 Series: All textures are made-to-order, minimum order of 2,000 sq. ft. Deposit required.

***300 Series: HD² Smooth is in stock with shorter lead times. HD² Polished and HD² Granitex are made-to-order, minimum order of 500 sq. ft. Deposit required.



INDUSTRIA

PAVER

FEATURES



DRY CAST COLLECTION



DE-ICING SALT RESISTANT



HIGH DEFINITION & DENSITY

APPLICATIONS*



PEDESTRIAN



RESIDENTIAL/VEHICULAR



PEDESTRIAN PLAZA



PARKING LOTS



ADA


*See Techo-Spec for applications by Series.

	HD² Smooth	HD² Polished*	HD² Granitex
Chestnut Brown			
Beige Cream			
Greyed Nickel			
Shale Grey			
Onyx Black			



Minimizes pores for a smoother finish.

450 SERIES** (All sizes are sold separately)



17 1/16 x 3 1/16 x 3 1/16 in
450 x 100 x 100 mm

17 1/16 x 5 7/8 x 3 1/16 in
450 x 150 x 100 mm

17 1/16 x 11 1/16 x 3 1/16 in
450 x 300 x 100 mm

600 SERIES** (All sizes are sold separately)



23 5/8 x 3 1/16 x 3 1/16 in
600 x 100 x 100 mm

23 5/8 x 7 7/8 x 3 1/16 in
600 x 200 x 100 mm

23 5/8 x 11 1/16 x 3 1/16 in
600 x 300 x 100 mm

23 5/8 x 23 5/8 x 3 1/16 in
600 x 600 x 100 mm

*HD² Polished is 3 7/8 in - 98 mm in height




↑ 600 Series HD² Smooth and HD² Granitex in Greyed Nickel and Shale Grey


900 SERIES*** (All sizes are sold separately)



35 ⁷/₁₆ × 11 ¹/₁₆ × 3 ¹/₁₆ in
900 × 300 × 100 mm



35 ⁷/₁₆ × 23 ⁵/₁₆ × 3 ¹/₁₆ in
900 × 600 × 100 mm



35 ⁷/₁₆ × 35 ⁷/₁₆ × 3 ¹/₁₆ in
900 × 900 × 100 mm

**450 and 600 Series: All textures are made-to-order, minimum order of 2,000 sq. ft. Deposit required (excluded 600×600×100 in the Smooth texture are in-stock (made-to-stock) product and requires no minimum order quantity).

***900 Series: HD² Smooth is in stock with shorter lead times. HD² Polished and HD² Granitex are made-to-order, minimum order of 500 sq. ft. Deposit required.



MODERN COLLECTION



DIAMOND PAVER	66
LINEA PAVER	67
HEXA 60 SLAB	68
HEXA 100 PAVER	69
PARA SLAB	70
WESTMOUNT PAVER	71

DIAMOND PAVER

DIMENSIONS



12 5/16 x 7 1/8 x 3 1/16 in
313 x 181 x 100 mm

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT



HIGH DEFINITION
& DENSITY

APPLICATIONS



PEDESTRIAN



RESIDENTIAL/
VEHICULAR



PEDESTRIAN
PLAZA



ADA



PARKING LOTS



SECONDARY
STREETS



HD² Smooth

HD² Granitex*

Chestnut Brown




Beige Cream




Greyed Nickel



Shale Grey



Onyx Black



Minimizes pores
for a smoother finish.

*HD² Granitex is made-to-order, minimum
order of 500 sq. ft. Deposit required.

↑ HD² Smooth and HD² Granitex in Greyed Nickel

LINEA PAVER




FEATURES

- 
 DRY CAST
COLLECTION
- 
 DE-ICING SALT
RESISTANT




APPLICATIONS


- 
 PEDESTRIAN
- 
 RESIDENTIAL/
VEHICULAR
- 
 PEDESTRIAN
PLAZA
- 
 ADA
- 
 PARKING LOTS

SMALL RECTANGLE

- 
 $3 \frac{1}{16} \times 16 \frac{3}{4} \times 3 \frac{1}{16}$ in
 $100 \times 425 \times 100$ mm
- 
 $3 \frac{1}{16} \times 12 \frac{1}{16} \times 3 \frac{1}{16}$ in
 $100 \times 325 \times 100$ mm
- 
 $3 \frac{1}{16} \times 8 \frac{7}{8} \times 3 \frac{1}{16}$ in
 $100 \times 225 \times 100$ mm

LARGE RECTANGLE

- 
 $5 \frac{7}{8} \times 16 \frac{3}{4} \times 3 \frac{1}{16}$ in
 $150 \times 425 \times 100$ mm
- 
 $5 \frac{7}{8} \times 12 \frac{1}{16} \times 3 \frac{1}{16}$ in
 $150 \times 325 \times 100$ mm
- 
 $5 \frac{7}{8} \times 8 \frac{7}{8} \times 3 \frac{1}{16}$ in
 $150 \times 225 \times 100$ mm




Chestnut Brown
Champlain Grey
Shale Grey
Onyx Black



↓ Small Rectangle - Shale Grey & Onyx Black paired with grass insertions

HEXA 60 MM SLAB

DIMENSIONS



9 × 15 3/16 × 2 3/8 in
228 × 385 × 60 mm

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT



HIGH DEFINITION
& DENSITY

APPLICATIONS



PEDESTRIAN



ADA



Chestnut Brown




Beige Cream




Greyed Nickel



Shale Grey



Onyx Black



Minimizes pores
for a smoother finish.

↑ Beige Cream, Greyed Nickel, Shale Grey, Chestnut Brown and Onyx Black

HEXA 100 MM PAVER


FEATURES

-  DRY CAST COLLECTION
-  DE-ICING SALT RESISTANT
-  HIGH DEFINITION & DENSITY

APPLICATIONS

-  PEDESTRIAN
-  RESIDENTIAL/VEHICULAR
-  PEDESTRIAN PLAZA
-  ADA
-  PARKING LOTS

DIMENSIONS



9 x 15 5/16 x 3 1/16 in
228 x 385 x 100 mm



Chestnut Brown
Beige Cream
Greyed Nickel
Shale Grey
Onyx Black

HD² Minimizes pores for a smoother finish.




↓ Beige Cream

PARA

SLAB

500 × 750



19 1/16 × 29 1/2 × 2 3/8 in
500 × 750 × 60 mm

500 × 500



19 1/16 × 19 1/16 × 2 3/8 in
500 × 500 × 60 mm

500 × 250



19 1/16 × 9 13/16 × 2 3/8 in
500 × 250 × 60 mm

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT



HIGH DEFINITION
& DENSITY

APPLICATIONS*



PEDESTRIAN



RESIDENTIAL/
VEHICULAR



PEDESTRIAN
PLAZA




ADA


*See Techo-Spec for installation recommendations.




Beige Cream



Greyed Nickel



Onyx Black



Minimizes pores
for a smoother finish.

↑ Beige Cream

FEATURES



DRY CAST COLLECTION



DE-ICING SALT RESISTANT



HIGH DEFINITION & DENSITY

APPLICATIONS



PEDESTRIAN



RESIDENTIAL/VEHICULAR



PEDESTRIAN PLAZA



ADA



PARKING LOTS

DIMENSIONS




2 3/8 x 9 7/16 x 3 1/8 in
60 x 240 x 80 mm




Merlot



Chestnut Brown



Shale Grey



Onyx Black



Minimizes pores for a smoother finish.



↓ Shale Grey and Onyx Black



NATURAL COLLECTION



ANTIKA PAVER	74
BOREALIS SLAB	75
EVEREST SLAB	76
OCEAN GRANDE SLAB	77
VILLAGIO PAVER	78
TRAVERTINA RAW SLAB	79

ANTIKA

PAVER

VARIOUS SIZES



Height: 2 3/8 60 mm

FEATURES



DRY CAST
COLLECTION



PERMEABLE



DE-ICING SALT
RESISTANT

APPLICATIONS




PEDESTRIAN




RESIDENTIAL/
VEHICULAR



Chocolate Brown




Chestnut Brown




Sandlewood



Shale Grey



Onyx Black



↑ Onyx Black

FEATURES



BOREALIS

SLAB

APPLICATIONS



PEDESTRIAN



ADA

10 x 30




10 x 30 x 2 1/4 in
254 x 762 x 57 mm

5 x 30




5 x 30 x 2 1/4 in
127 x 762 x 57 mm



Smoked Pine

Hazelnut Brandy

Riviera

 Factory-applied protection for stain resistance.




↓ Hazelnut Brandy

EVEREST

SLAB

500 × 500



19 1/16 × 19 1/16 × 2 3/16 in
500 × 500 × 60 mm

250 × 500



9 13/16 × 19 1/16 × 2 3/16 in
250 × 500 × 60 mm

250 × 250



9 13/16 × 9 13/16 × 2 3/16 in
250 × 250 × 60 mm

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT



HIGH DEFINITION
& DENSITY

APPLICATIONS*



PEDESTRIAN



RESIDENTIAL/
VEHICULAR




PEDESTRIAN
PLAZA

*See Techo-Spec for installation recommendations.



Merlot



Chestnut Brown



Greyed Nickel



Shale Grey



Minimizes pores
for a smoother finish.

↑ Greyed Nickel and Shale Grey

FEATURES



DRY CAST COLLECTION



DE-ICING SALT RESISTANT



HIGH DEFINITION & DENSITY

OCEAN GRANDE

SLAB

APPLICATIONS



PEDESTRIAN

DIMENSIONS



19 1/2 x 32 1/2 x 2 3/8 in
495 x 825 x 60 mm



Beige Cream

Greyed Nickel



Minimizes pores for a smoother finish.



↓ Greyed Nickel and Beige Cream paired with Valet

TRAVERTINA RAW

SLAB

20 x 10 / 20 x 20



20 x 20 x 2 1/4 in
508 x 508 x 57 mm

20 x 30



20 x 10 x 2 1/4 in
508 x 254 x 57 mm

20 x 30 x 2 1/4 in
508 x 762 x 57 mm

30 x 30



30 x 30 x 2 1/4 in
762 x 762 x 57 mm

FEATURES



WET CAST
COLLECTION



DO NOT USE
DE-ICING SALT



KLEAN-BLOC

APPLICATIONS




PEDESTRIAN



ADA




Rock Garden Brown



Ivory



Riviera



Factory-applied protection
for stain resistance.

FEATURES

- DRY CAST COLLECTION
- DE-ICING SALT RESISTANT
- PERMEABLE

APPLICATIONS

- PEDESTRIAN
- RESIDENTIAL/VEHICULAR
- PEDESTRIAN PLAZA
- PARKING LOTS

VILLAGGIO PAVER

VARIOUS SIZES

- $5 \frac{1}{8} \times 8 \frac{7}{16} \times 2 \frac{3}{8}$ in
 $130 \times 215 \times 60$ mm
- $5 \frac{1}{8} \times 7 \frac{7}{16} \times 2 \frac{3}{8}$ in
 $130 \times 185 \times 60$ mm
- $5 \frac{1}{8} \times 6 \frac{7}{16} \times 2 \frac{3}{8}$ in
 $130 \times 160 \times 60$ mm
- $5 \frac{1}{8} \times 5 \frac{1}{8} \times 2 \frac{3}{8}$ in
 $130 \times 130 \times 60$ mm



Merlot
Chocolate Brown
Chestnut Brown
Sandlewood
Champlain Grey
Shale Grey
Onyx Black



↓ Champlain Grey, Sandlewood and Onyx Black



PERMEABLE COLLECTION



AQUASTORM PAVER	82
MIKA PAVER	83
HYDRA PAVER	84
MECHANICAL INSTALLATION	85

AQUASTORM PAVER

DIMENSIONS



10 1/8" x 20 1/8" x 3 1/8" in
255 x 510 x 100 mm

FEATURES



DRY CAST
COLLECTION



PERMEABLE



DE-ICING SALT
RESISTANT

APPLICATIONS



PEDESTRIAN



RESIDENTIAL/
VEHICULAR




PEDESTRIAN
PLAZA



PARKING LOTS



Grey with stone



Grey with grass



FEATURES



WET CAST COLLECTION



PERMEABLE



DE-ICING SALT RESISTANT



KLEAN-BLOC

APPLICATIONS



PEDESTRIAN



RESIDENTIAL/VEHICULAR




PEDESTRIAN PLAZA


DIMENSIONS



4 7/8 x 11 x 2 3/4 in
112 x 279 x 70 mm



Rock Garden Brown
Onyx Black

 Factory-applied protection for stain resistance.



↓ Onyx Black

HYDRA PAVER

DIMENSIONS



7 7/8 x 11 13/16 x 3 15/16 in
200 x 300 x 100 mm

FEATURES



DRY CAST
COLLECTION



PERMEABLE



DE-ICING SALT
RESISTANT



MECHANICAL
INSTALLATION

APPLICATIONS



PEDESTRIAN



RESIDENTIAL/
VEHICULAR



PEDESTRIAN
PLAZA



ADA



PARKING LOTS



SECONDARY
STREETS




Chestnut Brown



Grey



Shale Grey




MECHANICAL INSTALLATION

HYDRAULIC INSTALLATION CLAMP

COMPATIBLE WITH MOST EXCAVATION EQUIPMENT, A HYDRAULIC INSTALLATION CLAMP IS AVAILABLE FOR LARGER PAVING PROJECTS.

CONTACT YOUR LOCAL TECHO-BLOC REPRESENTATIVE FOR MORE INFORMATION ON THIS SERVICE.



SHAPES & SIZES

BLU COLLECTION*



Height: 2 3/8 in 60 mm
or 3 1/8 in 80 mm
19 1/2 x 32 1/2
495 x 825



Height: 2 3/8 in 60 mm
or 3 1/8 in 80 mm
13 x 19 1/2
330 x 495



Height: 2 3/8 in 60 mm
or 3 1/8 in 80 mm
13 x 13
330 x 330



Height: 2 3/8 in 60 mm
or 3 1/8 in 80 mm
13 x 6 1/2
330 x 165




Height: 2 3/8 in 60 mm
6 1/2 x 6 1/2
165 x 165



Height: 2 3/8 in 60 mm
3 1/4 x 3 1/4
83 x 83

*The height of paving units with a polished texture is approximately 2 mm (3/32 inch) less.

INDUSTRIA COLLECTION*



Height: 3 15/16 in 100 mm
35 7/16 x 35 7/16
900 x 900



Height: 3 15/16 in 100 mm
35 7/16 x 23 5/8
900 x 600



Height: 3 15/16 in 100 mm
35 7/16 x 11 13/16
900 x 300



Height: 2 3/8 in 60 mm
or 3 15/16 100 mm
23 5/8 x 23 5/8
600 x 600



Height: 3 15/16 in 100 mm
23 5/8 x 11 13/16
600 x 300



Height: 3 15/16 in 100 mm
23 5/8 x 7 7/8
600 x 200



Height: 3 15/16 in 100 mm
23 5/8 x 3 15/16
600 x 100



Height: 3 15/16 in 100 mm
17 11/16 x 11 13/16
450 x 300



Height: 3 15/16 in 100 mm
17 11/16 x 5 7/8
450 x 150



Height: 3 15/16 in 100 mm
17 11/16 x 3 15/16
450 x 100



Height: 3 15/16 in 100 mm
7 7/8 x 15 3/4
200 x 400



Height: 3 15/16 in 100 mm
7 7/8 x 7 7/8
200 x 200



Height: 3 15/16 in 100 mm
5 7/8 x 5 7/8
150 x 150



Height: 3 15/16 in 100 mm
11 13/16 x 3 15/16
300 x 100



Height: 3 15/16 in 100 mm
11 13/16 x 5 7/8
300 x 150



Height: 3 15/16 in 100 mm
11 13/16 x 11 13/16
300 x 300



Height: 3 15/16 in 100 mm
11 13/16 x 11 13/16
300 x 300

*The height of paving units with a polished texture is approximately 2 mm (3/32 inch) less.

MODERN COLLECTION



Height: 3 1/16 in 100 mm
12 5/16 x 7 1/8
313 x 181



Height: 3 1/16 in 100 mm
5 7/8 x 8 7/8
150 x 225



Height: 3 1/16 in 100 mm
5 7/8 x 12 13/16
150 x 325



Height: 3 1/16 in 100 mm
5 7/8 x 16 3/4
150 x 425



Height: 3 1/16 in 100 mm
3 1/16 x 8 7/8
100 x 225



Height: 3 1/16 in 100 mm
3 1/16 x 12 13/16
100 x 325



Height: 3 1/16 in 100 mm
3 1/16 x 16 3/4
100 x 425



Height: 2 3/8 in 60 mm
19 1/16 x 29 1/2
500 x 750



Height: 2 3/8 in 60 mm
19 1/16 x 19 1/16
500 x 500



Height: 2 3/8 in 60 mm
19 1/16 x 9 13/16
500 x 250




Height: 2 3/8 in 60 mm
or 3 1/16 in 100 mm
9 x 15 3/16
228 x 385



Height: 3 1/8 in 80 mm
2 3/8 x 9 7/16
60 x 240

NATURAL COLLECTION



Height: 2 3/8 in 60 mm
9 1/16 x 19 1/16
500 x 500



Height: 2 3/8 in 60 mm
9 13/16 x 19 1/16
250 x 500




Height: 2 3/8 in 60 mm
9 13/16 x 9 13/16
250 x 250



Height: 2 3/4 in 70 mm
4 7/16 x 11
112 x 279



Height: 2 3/8 in 60 mm



Height: 2 1/4 in 57 mm
10 x 30
254 x 762



Height: 2 1/4 in 57 mm
5 x 30
127 x 762



Height: 2 3/8 in 60 mm
5 1/8 x 5 1/8
130 x 130




Height: 2 3/8 in 60 mm
5 1/8 x 6 5/16
130 x 160




Height: 2 3/8 in 60 mm
5 1/8 x 7 5/16
130 x 185



Height: 2 3/8 in 60 mm
5 1/8 x 8 7/16
130 x 215



Height: 2 1/4 in 57 mm
30 x 30
762 x 762




Height: 2 1/4 in 57 mm
20 x 30
508 x 762



Height: 2 1/4 in 57 mm
20 x 20
508 x 508



Height: 2 1/4 in 57 mm
20 x 10
508 x 254



Height: 2 3/8 in 60 mm
19 1/2 x 32 1/2
495 x 825

PERMEABLE COLLECTION



Height: 3 1/16 in 100 mm
10 1/16 x 20 1/16
255 x 510



Height: 3 1/16 in 100 mm
7 7/8 x 11 13/16
200 x 300



Height: 2 3/4 in 70 mm
4 7/8 x 11
112 x 279



WALLS & CAPS COLLECTION



BOREALIS WALL	90	RAFFINATO WALL	96
BRANDON WALL	91	RAFFINATO CAP	97
G-FORCE WALL	92	SEMMA WALL	98
GRAPHIX WALL	93	TRAVERTINA RAW WALL	99
MINI-CRETA ARCHITECTURAL WALL	94	SKYSCRAPER WALL	100

BOREALIS

WALL

DOUBLE-SIDED WALL



Depth 1: 6 × 48 × 7 ¼ in
152 × 1 219 × 197 mm

Depth 2: 6 × 48 × 8 in in
152 × 1 219 × 203 mm

FEATURES



WET CAST
COLLECTION



DO NOT USE
DE-ICING SALT



Smoked Pine



Hazelnut Brandy

↑ Smoked Pine

BRANDON WALL

FEATURES

- 
 DRY CAST COLLECTION
- 
 DE-ICING SALT RESISTANT

180 MM CORNER



Depth: 9 1/8 in 250 mm

7 1/8 x 14 3/8 in
180 x 360 mm

90 MM CORNER



Depth: 9 1/8 in 250 mm

3 3/8 x 14 3/8 in
90 x 360 mm

180 MM DOUBLE-SIDED WALL



Side 1: 7 1/8 x 15 1/8 in
180 x 405 mm

Side 2: 7 1/8 x 14 3/8 in
180 x 365 mm



Side 1: 7 1/8 x 14 3/8 in
180 x 365 mm

Side 2: 7 1/8 x 12 1/8 in
180 x 325 mm



Depth: 9 1/8 in 250 mm

Side 1: 7 1/8 x 11 1/4 in
180 x 285 mm

Side 2: 7 1/8 x 9 3/8 in
180 x 245 mm

90 MM DOUBLE-SIDED WALL



Side 1: 3 3/8 x 15 1/8 in
90 x 405 mm

Side 2: 3 3/8 x 14 3/8 in
90 x 365 mm



Side 1: 3 3/8 x 14 3/8 in
90 x 365 mm

Side 2: 3 3/8 x 12 1/8 in
90 x 325 mm



Depth: 9 1/8 in 250 mm

Side 1: 3 3/8 x 11 1/4 in
90 x 285 mm

Side 2: 3 3/8 x 9 3/8 in
90 x 245 mm



Chestnut Brown

Sandalwood

Champlain Grey

Shale Grey

Onyx Black



↓ Champlain Grey

G-FORCE WALL

WALL



Depth: 11 7/8 in 290 mm

8 x 18 x 8 5/8 in
203 x 457 x 219 mm

CORNER



Depth: 9 in 229 mm

8 x 18 in
203 x 457 mm

FEATURES



DRY CAST
COLLECTION




DE-ICING SALT
RESISTANT




Chestnut Brown



Sandlewood



Champlain Grey



Shale Grey



↑ Shale Grey

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT

GRAPHIX

WALL

DOUBLE-SIDED WALL - VARIOUS DEPTHS



Smooth 2 1/8" x 20 in
75 x 508 mm

Smooth 2 1/8" x 20 in
75 x 508 mm

Smooth 2 1/8" x 20 in
75 x 508 mm

Split face 2 1/8" x 20 in
75 x 508 mm

Depth: 9 1/8" - 10 1/8" - 11 - 8 1/8" in 230 - 255 - 280 - 205 mm

1 in 4 pieces is split face & 3 in 4 pieces are smooth



Beige Cream

Greyed Nickel

Onyx Black



↓ Greyed Nickel

MINI-CRETA ARCHITECTURAL WALL


FEATURES



DRY CAST COLLECTION




DE-ICING SALT RESISTANT



*Chocolate Brown and Onyx Black only available in 3".




3" DOUBLE-SIDED ARCHITECTURAL WALL & CORNER - VARIOUS SIZES



Depth: 9 1/16 in 250 mm

Side 1: 2 15/16 x 9 1/16 in
75 x 230 mm

Side 2: 2 15/16 x 7 1/16 in
75 x 180 mm




Side 1: 2 15/16 x 11 13/16 in
75 x 300 mm

Side 2: 2 15/16 x 9 13/16 in
75 x 250 mm




Side 1: 2 15/16 x 11 13/16 in
75 x 300 mm

Side 2: 2 15/16 x 11 13/16 in
75 x 300 mm



Side 1: 2 15/16 x 14 3/4 in
75 x 375 mm

Side 2: 2 15/16 x 12 13/16 in
75 x 325 mm



Side 1: 2 15/16 x 14 3/4 in
75 x 375 mm

Side 2: 2 15/16 x 13 3/4 in
75 x 350 mm



Depth: 8 in 203 mm


2 15/16 x 16 in
75 x 406 mm

PILLAR 24" x 3" ARCHITECTURAL



↑ Mini-Creta Architectural Sandalwood

6" DOUBLE-SIDED ARCHITECTURAL WALL & CORNER - VARIOUS SIZES



Depth: 9 13/16 in 250 mm

Side 1: 5 7/8 x 9 1/8 in

150 x 230 mm

Side 2: 5 7/8 x 7 1/8 in

150 x 180 mm



Side 1: 5 7/8 x 11 13/16 in

150 x 300 mm

Side 2: 5 7/8 x 9 13/16 in

150 x 250 mm




Side 1: 5 7/8 x 11 13/16 in

150 x 300 mm

Side 2: 5 7/8 x 11 13/16 in

150 x 300 mm




Side 1: 5 7/8 x 14 3/4 in

150 x 375 mm

Side 2: 5 7/8 x 12 13/16 in

150 x 325 mm




Side 1: 5 7/8 x 14 3/4 in

150 x 375 mm

Side 2: 5 7/8 x 13 3/4 in

150 x 350 mm



Depth: 8 in 203 mm

5 7/8 x 16 in

150 x 406 mm

PILLAR 24 x 6" ARCHITECTURAL

RAFFINATO

WALL

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT

*90 MM DOUBLE-SIDED WALL



**Depth: 9 1/8 in 249 mm

Side 1: 3 5/8 x 15 5/8 in
90 x 397 mm

Side 2: 3 5/8 x 14 1/4 in
90 x 362 mm

90 MM CORNER



**Depth: 9 1/8 in 249 mm

3 5/8 x 14 1/8 in
90 x 359 mm

*180 MM DOUBLE-SIDED WALL



**Depth: 9 1/8 in 249 mm

Side 1: 7 1/8 x 15 5/8 in
180 x 397 mm

Side 2: 7 1/8 x 14 1/4 in
180 x 362 mm

180 MM CORNER



**Depth: 9 1/8 in 249 mm

7 1/8 x 14 1/8 in
180 x 359 mm



Smooth

Polished***


Beige Cream



Greyed Nickel



Shale Grey****



Onyx Black



*Polished finish is only available on a single side of the wall. Polished units are 9 3/4 in. (248 mm) in Depth.

**For Corners: Polished units are 9 3/4 in (248 mm) Depth & 14 1/8 in (357 mm) Length.

***Polished is made-to-order, minimum order of 500 sq. ft. Deposit required.

****Shale Grey is only available in Canada.

↑ Smooth - Onyx Black paired with Raffinato cap

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT

RAFFINATO

CAP

90 MM



3 7/8 x 28 in
90 x 711 mm

60 MM



Depth: 14 in 356 mm

2 3/8 x 28 in
60 x 711 mm



Chestnut Brown

Beige Cream

Champlain Grey

Greyed Nickel

Shale Grey

Onyx Black

↓ Greyed Nickel paired with Raffinato wall



SEMMA

WALL

WALL & CORNER - DOUBLE-SIDED WALL



Depth: 11 in 279 mm

Side 1: 5 7/8 x 16 in
Side 1: 150 x 406 mm
Side 2: 5 7/8 x 10 1/2 in
Side 2: 150 x 266 mm

PILLAR



Depth: 10 1/2 in 266 mm

5 7/8 x 16 in
150 x 406 mm

FEATURES




DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT



Chestnut Brown
Sandlewood
Champlain Grey
Shale Grey



↑ Shale Grey

FEATURES



WET CAST
COLLECTION



DO NOT USE
DE-ICING SALT

TRAVERTINA RAW

WALL

CORNER



Depth: 7 1/8 in 202 mm


6 x 15 7/8 in
152 x 403 mm

DOUBLE-SIDED WALL



Depth: 7 1/8 in 202 mm

6 x 15 7/8 in
152 x 403 mm



Rock Garden Brown

Ivory

Riviera



↓ Riviera paired with Travertina Raw cap

SKYSCRAPER

WALL

FEATURES



DRY CAST
COLLECTION



DE-ICING SALT
RESISTANT

TOP



Depth: 23 1/4 in 590 mm

12 x 36 x 20 5/8 in
305 x 914 x 513 mm

MIDDLE



Depth: 34 7/8 in 886 mm

12 x 36 x 17 1/2 in
305 x 914 x 444 mm

BASE



Depth: 48 1/2 in 1 220 mm

12 x 36 x 17 5/8 in
305 x 914 x 440 mm



Chestnut Brown



Shale Grey




↑ Shale Grey



↑ Shale Grey

EXTENDER



Depth: 24 3/4 in 619 mm

12 x 20 1/2 in
305 x 520 mm

CORNER



Depth: 18 in 457 mm

12 x 36 in
305 x 914 mm



STEPS COLLECTION



BOREALIS STEP	104
RAFFINATO STEP	105
RÖCKA STEP	106
YORK STEP	107

BOREALIS

STEP

DIMENSIONS



Height: 6 in 152 mm

15 3/4 x 16 x 48 in
400 x 406 x 1 219 mm


FEATURES



WET CAST
COLLECTION



DO NOT USE
DE-ICING SALT



Smoked Pine

Hazelnut Brandy

↑ Smoked Pine

RAFFINATO STEP

FEATURES



DRY CAST
COLLECTION




DE-ICING SALT
RESISTANT

DIMENSIONS



Height: 7 1/8 in 180 mm

14 1/2 x 42
368 x 1 067



Beige Cream

Greyed Nickel

Shale Grey*

Onyx Black

*Shale Grey is only available in Canada.



↓ Greyed Nickel

RÖCKA

STEP

60"



Height: 6 in 152 mm

15 1/4 x 14 5/8 x 60 in
387 x 371 x 1 524 mm

48" DOUBLE-SIDED



Height: 6 in 152 mm

14 7/8 x 14 1/8 x 48 in
378 x 359 x 1 219 mm

FEATURES



WET CAST
COLLECTION



DO NOT USE
DE-ICING SALT



Chocolate Brown

Rock Garden Brown

Riviera

↑ Riviera

FEATURES



WET CAST
COLLECTION



DO NOT USE
DE-ICING SALT

YORK


STEP

DIMENSIONS



Height: 6 in 152 mm

15 × 60
381 × 1 524



Chocolate Brown

Rock Garden Brown

Riviera



↓ Riviera

SHAPES & SIZES

WALLS & CAPS COLLECTION



Depth: 9 1/16 in 250 mm
 Side 1 : 7 1/16 x 11 1/4
 180 x 285
 Side 2 : 7 1/16 x 9 5/8
 180 x 245



Depth: 9 1/16 in 250 mm
 Side 1 : 7 1/16 x 14 3/8
 180 x 365
 Side 2 : 7 1/16 x 12 13/16
 180 x 325



Depth: 9 1/16 in 250 mm
 Side 1 : 7 1/16 x 15 15/16
 180 x 405
 Side 2 : 7 1/16 x 14 3/8
 180 x 365



Depth: 9 1/16 in 250 mm
 Side 1 : 3 9/16 x 15 15/16
 90 x 405
 Side 2 : 3 9/16 x 14 3/8
 90 x 365



Depth: 9 1/16 in 250 mm
 Side 1 : 3 9/16 x 14 3/8
 90 x 365
 Side 2 : 3 9/16 x 12 13/16
 90 x 325



Depth: 9 1/16 in 250 mm
 Side 1 : 3 9/16 x 11 1/4
 90 x 285
 Side 2 : 3 9/16 x 9 5/8
 90 x 245



Depth: 9 1/16 in 250 mm
 7 1/16 x 14 3/8
 180 x 360



Depth: 9 1/16 in 250 mm
 3 9/16 x 14 3/8
 90 x 360



Depth: 11 7/16 in 290 mm
 8 x 18 x 8 5/8
 203 x 457 x 219



Depth: 9 in 229 mm
 8 x 18
 203 x 457



Depth 1: 7 3/4 in 197 mm
 Depth 2: 8 in 203 mm
 6 x 48
 152 x 1 219



Depth: 9 1/16 - 10 1/16 - 11 - 8 1/16 in
 230 - 255 - 280 - 205 mm
 Smooth 2 15/16 x 20
 75 x 508



Depth: 9 1/16 - 10 1/16 - 11 - 8 1/16 in
 230 - 255 - 280 - 205 mm
 Smooth 2 15/16 x 20
 75 x 508



Depth: 9 1/16 - 10 1/16 - 11 - 8 1/16 in
 230 - 255 - 280 - 205 mm
 Smooth 2 15/16 x 20
 75 x 508



Depth: 9 1/16 - 10 1/16 - 11 - 8 1/16 in
 230 - 255 - 280 - 205 mm
 Split face 2 15/16 x 20
 75 x 508



Depth: 9 1/16 in 250 mm
 Side 1 : 5 7/8 x 9 1/16
 150 x 230
 Side 2 : 5 7/8 x 7 1/16
 150 x 180



Depth: 9 1/16 in 250 mm
 Side 1 : 5 7/8 x 11 13/16
 150 x 300
 Side 2 : 5 7/8 x 9 13/16
 150 x 250



Depth: 9 1/16 in 250 mm
 Side 1 : 5 7/8 x 11 13/16
 150 x 300
 Side 2 : 5 7/8 x 11 13/16
 150 x 300



Depth: 9 1/16 in 250 mm
 Side 1 : 5 7/8 x 14 3/4
 150 x 375
 Side 2 : 5 7/8 x 12 13/16
 150 x 325



Depth: 9 1/16 in 250 mm
 Side 1 : 5 7/8 x 14 3/4
 150 x 375
 Side 2 : 5 7/8 x 13 3/4
 150 x 350



Depth: 8 in 203 mm
 5 7/8 x 16
 150 x 406



Depth: 9 1/16 in 250 mm
 Side 1 : 2 15/16 x 9 1/16
 75 x 230
 Side 2 : 2 15/16 x 7 1/16
 75 x 180



Depth: 9 1/16 in 250 mm
 Side 1 : 2 15/16 x 11 13/16
 75 x 300
 Side 2 : 2 15/16 x 9 13/16
 75 x 250



Depth: 9 1/16 in 250 mm Side
 1 : 2 15/16 x 11 13/16
 75 x 300
 Side 2 : 2 15/16 x 11 13/16
 75 x 300



Depth: 9 1/16 in 250 mm
 Side 1 : 2 15/16 x 14 3/4
 75 x 375
 Side 2 : 2 15/16 x 12 13/16
 75 x 325



Depth: 9 1/16 in 250 mm
 Side 1 : 2 15/16 x 14 3/4
 75 x 375
 Side 2 : 2 15/16 x 13 3/4
 75 x 350



Depth: 8 in 203 mm
 2 15/16 x 16
 75 x 406



Depth: 9 ¹/₁₆ in 249 mm
 Side 1 : 7 ¹/₁₆ x 15 ⁵/₈
 180 x 397
 Side 2 : 7 ¹/₁₆ x 14 ¹/₄
 180 x 362



Depth: 9 ¹/₁₆ in 249 mm
 7 ¹/₁₆ x 14 ¹/₈
 180 x 359



Depth: 9 ¹/₁₆ in 249 mm
 Side 1 : 3 ³/₁₆ x 15 ⁵/₈
 90 x 397
 Side 2 : 3 ³/₁₆ x 14 ¹/₄
 90 x 362



Depth: 9 ¹/₁₆ in 249 mm
 3 ³/₁₆ x 14 ¹/₈
 90 x 359



Depth: 11 in 279 mm
 Side 1 : 5 ⁷/₈ x 16
 150 x 406
 Side 2 : 5 ⁷/₈ x 10 ¹/₂
 150 x 266



Depth: 10 ¹/₂ in 266 mm
 5 ⁷/₈ x 1
 150 x 406



Depth: 23 ¹/₄ in 590 mm
 12 x 36 x 20 ³/₁₆
 305 x 914 x 513



Depth: 34 ⁷/₈ in 886 mm
 12 x 36 x 17 ¹/₂
 305 x 914 x 444



Depth: 48 ¹/₈ in 1 220 mm
 12 x 36 x 17 ³/₁₆
 305 x 914 x 440



Depth: 18 in 457 mm
 12 x 36
 305 x 914



Depth: 24 ³/₈ in 619 mm
 12 x 20 ¹/₂
 305 x 520



Depth: 7 ¹/₁₆ in 202 mm
 6 x 15 ⁷/₈
 152 x 403



Depth: 7 ¹/₁₆ in 202 mm
 6 x 15 ⁷/₈
 152 x 403



Depth: 14 in 356 mm
 2 ³/₈ x 28
 60 x 711



Depth: 14 in 356 mm
 3 ³/₁₆ x 28
 90 x 711

STEPS COLLECTION



Height: 6 in 152 mm
 15 ³/₄ x 16 x 48
 400 x 406 x 1 219




Height: 7 ¹/₈ in 180 mm
 14 ¹/₂ x 42
 368 x 1 067



Height: 6 in 152 mm
 15 ¹/₄ x 14 ⁵/₈ x 60
 387 x 371 x 1 524



Height: 6 in 152 mm
 14 ⁷/₈ x 14 ¹/₈ x 48
 378 x 359 x 1 219



Height: 6 in 152 mm
 15 x 60
 381 x 1 524

RESOURCES

COLOR COORDINATE

	Merlot	Chocolate Brown	Chestnut Brown	Sandlewood	Champlain Grey	Beige Cream	Greyed Nickel	Grey	Shale Grey	Onyx Black	Smoked Pine	Rock Garden Brown	Hazelnut Brandy	Ivory	Riviera	Beige
BLU COLLECTION																
Blu Grande - Slate			X	E	X				X							
Blu Grande - HD ² Slate			•	E	•				•							
Blu Grande - Smooth			X		X	X	X		X	X						
Blu Grande HD ² Smooth			X		X		X		X							
Blu 80 mm - Slate ④			X	X	X				X							
Blu 80 mm - HD ² Slate ④			•	E	•				•							
Blu 80 mm (6 x 13) - Slate ④		X	X		X				X	X						
Blu 80 mm (6 x 13) - HD ² Slate ④			•		•				•	•						
Blu 80 mm - Smooth ④			X		X	X	X		X	X						
Blu 80 mm - HD ² Smooth ④			X		X		X		X	X						
Blu 80 mm (6 x 13) - Smooth ④		X	X		X	X	X		X	X						
Blu 80 mm (6 x 13) - HD ² Smooth ④			X		X		X		X	X						
Blu 80 mm - Polished (On order only) ④			X			X	X		X	X						
Squadra - Slate	X		X						X	X						
Valet ④									X	X						

INDUSTRIA COLLECTION

Industria - 600 Series HD ²			X			X	X		X	X						
Industria - Flora HD ²						X	X									
Industria Collection HD ²			X			X	X		X	X						

MODERN COLLECTION

Diamond HD ²			X			X	X		X	X						
Linea		X	X	X	X				X	X						
Hexa 60 HD ²			X			X	X		X	X						
Hexa 100 HD ²			X			X	X		X	X						
Para HD ²						X	X			X						
Westmount HD ²	X	X							X	X						

NATURAL COLLECTION

Antika - Smooth ④		X	X	X					X	X						
Borealis Klean-Bloc											X		X		X	
Everest HD ²	X		X				X		X							
Ocean Grande HD ²						X	X									
Villagio ④	X	X	X	X	X				X	X						
Travertina Raw Klean-Bloc											X		X		X	

PERMEABLE COLLECTION

Aquastorm ④								X								
Mika Klean-Bloc ④										X		X				
Hydra ④								X								

WALLS & CAPS COLLECTION

Borealis										X			X			
Brandon			X	X	X				X	X						
G-Force			X	X	X				X							
Graphix						X	X			X						
Mini-Creta																
Raffinato Collection						X	X			X						
Semma			X	X	X					X						
Skyscraper			X							X						

STEPS COLLECTION

Borealis						X	X		X	X	X		X			
Raffinato						X	X		X	X						
Röcka		X										X			X	
York		X										X			X	

For an authentic look, each color option is composed of a variety of darker & lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another. Final color selection should be made with your contractor from product samples or at your local dealer from stocked product. This color chart serves as a guide for color selection across product lines.

SOLAR REFLECTANCE & LEED CREDITS

Solar reflectance index (SRI) is a value that incorporates solar reflectance (SR) and thermal emittance in a single measure. The SRI is an indicator of how well a surface reflects (reflectance) and releases absorbed solar radiation (emittance). The lower the SRI, the hotter a material is likely to become in sunlight. Dark pavement surfaces tend to have lower solar reflectance values than lighter pavement surfaces.

Thus, cautious selection of pavement surface colors can help reduce heat islands which cause urban areas to stay warmer and contributes to air pollution and increased energy consumption. Nowadays, it is not uncommon for some municipalities in North America to require the use of paving materials with an initial SRI of 29.

Furthermore, for LEED certification, there are credit requirements for Sustainable Sites Credit: Heat Island Reduction.












The following are some key elements for Nonroof and Parking under cover applications (see LEED v4.1 for thorough information):

Nonroof (2 points except Healthcare, 1-point Healthcare): Use of paving materials with an initial SR value of at least 0.33.

Parking under cover (1 point): Any roof used to shade or cover parking must have a three-year aged SRI of at least 32 (if three-year aged value information is not available, use materials with an initial SRI of at least 39 at installation).

Techo-Bloc light-colored paving units contribute to the reduction of heat island effects and to obtainment of LEED points. The table to the right summarizes the colors of Techo-Bloc paving units with an SR of at least 0.33 and/or an SRI of at least 29.

TECHO-BLOC COLORS WITH SR OF AT LEAST 0.33 AND/OR SRI OF AT LEAST 29

FINISH	COLOR	SWATCH	SOLAR REFLECTANCE ¹	SOLAR REFLECTANCE INDEX ²
HD ² Smooth	Beige Cream		0.35	38
	Greyed Nickel		0.33	36
Smooth	Beige Cream		0.33	36
	Greyed Nickel		0.34	37
HD ² Polished	Beige Cream		0.38	42
	Greyed Nickel		0.37	41
HD ² Granitex	Beige Cream		0.33	36
	Greyed Nickel		0.39	43
HD ² Natural Stone	Greyed Nickel		0.30	32
HD ² Slate (wetcast)	Victoria		0.31	33
Klean-Bloc Brushed Travertine (wetcast)	Ivory		0.40	45

NOTES

- Solar Reflectance (SR) measurements in accordance with ASTM C1549 "Standard Test Method for Determination of Solar Reflectance Near Ambient Temperature Using a Portable Solar Reflectometer".
- Solar Reflectance Index (SRI) calculated in accordance with ASTM E1980 "Standard Practice for Calculating Solar Reflectance Index of Horizontal and Low-Sloped Opaque Surfaces".

RESOURCES

TYPICAL APPLICATION USAGE

	THICKNESS (NOMINAL)		JOINT WIDTH		RESIDENTIAL				COMMERCIAL			Permeable	Grass (Concrete Grid) Paver	Slab On Pedestal Set	Accessibility Compliance ¹	
	mm	in	mm	in												
BLU COLLECTION																
Blu 60 mm	60	2 3/8	7	9/32	x	x ¹	x	x ¹				x				x ⁵
Blu 60 mm (6 x 13)	60	2 3/8	7	9/32	x	x ¹	x	x ¹				x				x ⁵
Blu Grande	60	2 3/8	7	9/32	x		x							x		x ⁵
Blu 80 mm	80	3 1/8	7	9/32	x	x	x	x	x			x				x ⁵
Blu 80 mm (6 x 13)	80	3 1/8	7	9/32	x	x	x	x	x			x				x ⁵
Squadra	60	2 3/8	4	5/32	x	x	x									
Valet	60	2 3/8	7	9/32	x	x	x	x	x			x				
INDUSTRIA COLLECTION																
Industria slab	60	2 3/8	3	1/8	x	x ¹	x	x ¹							x	x
Industria Flora	60	2 3/8	3	1/8	x	x ¹	x	x ¹								x
Industria 150x150	100	3 15/16	3	1/8	x	x	x	x	x	x						x
Industria 200x200	100	3 15/16	3	1/8	x	x	x	x	x	x						x
Industria 200x400	100	3 15/16	3	1/8	x	x	x	x	x							x
Industria 300x100	100	3 15/16	3	1/8	x	x	x	x	x	x	x					x
Industria 300x150	100	3 15/16	3	1/8	x	x	x	x	x	x	x					x
Industria 300x300	100	3 15/16	3	1/8	x	x	x	x	x	x						x
Industria Triangle	100	3 15/16	3	1/8	x	x	x	x	x							x
Industria 450x100	100	3 15/16	3	1/8	x	x	x	x	x	x ¹						x
Industria 450x150	100	3 15/16	3	1/8	x	x	x	x	x	x ¹						x
Industria 450x300	100	3 15/16	3	1/8	x	x	x	x	x	x ¹						x
Industria 600x100	100	3 15/16	3	1/8	x	x	x	x	x	x ¹						x
Industria 600x200	100	3 15/16	3	1/8	x	x	x	x	x	x ¹						x
Industria 600x300	100	3 15/16	3	1/8	x	x	x	x	x	x ¹						x
Industria 600x600	100	3 15/16	3	1/8	x	x	x	x	x	x ¹						x
Industria 900x300	100	3 15/16	3	1/8	x	x ¹	x									x
Industria 900x600	100	3 15/16	3	1/8	x	x ¹	x									x
Industria 900x900	100	3 15/16	3	1/8	x	x ¹	x									x
MODERN COLLECTION																
Diamond	100	3 15/16	2,5	3/32	x	x	x	x	x	x						x
Linea small rectangles	100	3 15/16	3	1/8	x	x	x	x	x							x
Linea large rectangles	100	3 15/16	3	1/8	x	x	x	x	x							x
Hexa 60 mm	60	2 3/8	2,5	3/32			x									x
Hexa 100 mm	100	3 15/16	2,5	3/32	x	x	x	x	x							x
Para 500x250	60	2 3/8	3	1/8	x		x									x
Para 500x500	60	2 3/8	3	1/8	x		x									x
Para 500x750	60	2 3/8	3	1/8	x		x							x		x
Westmount	80	3 1/8	3	1/8	x	x	x	x	x							x
NATURAL COLLECTION																
Antika	60	2 3/8	Variable		x	x	x					x				
Borealis 5x30 ³	57	2 1/4	5	3/16	x		x									x
Borealis 10x30 ³	57	2 1/4	5	3/16	x		x							x		x
Everest square 250x250	60	2 3/8	1,5	1/16	x	x	x	x								
Everest square 500x500	60	2 3/8	1,5	1/16	x	x	x	x								
Everest rectangle	60	2 3/8	1,5	1/16	x		x									
Ocean Grande	60	2 3/8	4	5/32	x		x									
Villagio	60	2 3/8	9-15	3/8-9/16	x	x	x	x	x			x				
Travertina Raw (slab) 20x10 & 20x20 ³	57	2 1/4	2	1/16	x		x									x
Travertina Raw (slab) 20x30 ³	57	2 1/4	2	1/16	x		x									x
Travertina Raw (slab) 30x30 ³	57	2 1/4	2	1/16	x		x									x
PERMEABLE COLLECTION																
Aquastorm	100	3 15/16			x	x	x	x	x			x	x			
Mika	70	2 3/4			x	x	x	x				x				
Hydra	100	3 15/16			x	x	x	x	x	x		x				x

Notes:

- For this application, it is recommended that this product be installed on a concrete base as designed by a local Engineer.
- The installation of this product on an aggregate base will provide an acceptable performance. For a superior performance, this product can be installed on a concrete base.
- De-icing salt shall not be used on this product.
- These products meet the following design guidelines for accessible paths:
 - Slip-resistant paver surface
 - Paver joint openings do not allow the passage of a sphere greater than 1/2 in. (13 mm) in diameter
- Tumbled or embossed pavers could result on surfaces or edges unsuitable for applications requiring accessibility design consideration.

COMPATIBILITY CHART


CAPS

WALLS & PILLARS	Architectural cap	Brandon cap	Bullnose	Bullnose Grande	Graphix cap	Limestone cap	Pacific cap	Piedimonte	Piedimonte 28"x28"	Portofino	Raffinato 60 mm	Raffinato 90 mm	Sandstone cap	Sandstone Bullnose cap	Travertina Raw14"x28"	York	York 28"x28"	York 32"x32"
Borealis (does not require a cap)																		
Brandon 90 & 180 mm		x	x	x		x	x	x		x	x	x	x	x	x	x		
Brandon 90 & 180 mm pillar						x			x		x	x	x		x		x	
G-Force					x	x		x			x	x	x		x			
Graphix					x	x		x			x	x	x		x			
Mini-Creta Collection	x	x	x	x		x	x	x		x	x	x	x	x	x	x		
Mini-Creta Pillar 24" Collection						x			x		x	x	x		x		x	
Raffinato Collection				x	x	x		x			x	x	x	x	x			
Raffinato Pillar Collection						x			x		x	x	x		x			
Semma	x	x	x		x	x	x	x		x	x	x	x		x	x		
Semma Pillar											x		x		x			x
Skyscraper											x	x	x					

NOTE: The combinations shown in this chart are not complete. Other possible combinations exist.

ELEVATE YOUR HARDSCAPE PROJECTS

with our indispensable pedestals! Designed to perfection, these pedestals offer immense value to hardscapers.




- Green Product Approved: eco-friendly construction with 78% recycled materials and 100% recyclability.
- Manufactured with fire retardant material.
- Load capacity of 2,200 lbs (998 kg).
- Height range from 0 to 3 feet (0 to 914 mm).
- Slope correction system from 0 to 10%.
- Wind Uplift System available.
- Enlarged surface area for an enhanced contact point.
- Installation made easier with material takeoff and plan layout service.

Pedestals are more than just for roof decks; they are a versatile, eco-friendly, and reliable solution for all your hardscaping needs. Embrace the power of pedestals to elevate your projects to new heights!




SPACER TABS




TB-SHIM

The total height of the pedestal can be increased by 1/2 in (12.7 mm) (and stacked up to 4 high) perfect for minor height adjustment on site.



SLOPE CORRECTOR TB-PH5

The TB-PH5 slope corrector is an adjustable unit which is placed under the base of the PB pedestal. It creates slopes of 0-5% in 0.5% intervals meaning a horizontal or inclined terrace can be easily installed. Note: Slope Corrector add 1/8 in (3.175 mm) in height.





IMPORTANT INFORMATION

A STANDARD OF CARE

The care of high quality concrete products is similar to the care of any product left in the environment 365 days and nights per year. Very mild cleaning using detergents, water and product specific chemicals is necessary and similar to cleaning patio furniture, a vehicle's chrome, plastic, or paint, etc. in order to enhance their presence and charm. Protectants of all types (high, middle, and low sheen, pigmented/tinted, penetrating or film-forming) are available for additional protection from acid rain, stains and nature's worst. To get the most from your investments, take care of them and they'll take care of you.

For any questions on industry-specific cleaners and protectants, see your local hardscape dealer, contact your contractor, contact us or search online.

It is contrary to Techo-Bloc's Standard Operating Procedures (SOP) to be involved in the care of a mature pavement or retaining structure. Care, as mentioned above, is the responsibility of the owner for any and all outdoor products.

NCMA disclaimer: "In areas where segmental retaining walls will be repeatedly exposed to snow (such as from plowing operations) consider periodically applying sealants or water repelling chemicals (silane or siloxane compounds) to the wall surface."

COLOR

Due to the inherent nature of printed literature and current digital media, Techo-Bloc cannot guarantee specific color matching to printed representations of its color swatches.

Each color option is composed of a variety of darker and lighter tones. Natural ingredients such as granite are present within the recipe to allow for a range in tones, veining and textures from one stone to another. Therefore, colors samples shown are approximate representations of our standard colors and actual product colors may vary.

Final color selection should be made at your local dealer from stocked product. Techo-Bloc always recommends immediately verifying the product and color upon reception. If there are any discrepancies, contact your local dealer before continuing your project. Installation of the product constitutes your acceptance of the product as is.

EFFLORESCENCE

This warranty does not apply to efflorescence. Efflorescence is a naturally-occurring process in all concrete products which sometimes appears in the form of a white powdery film on the pavement surface. Efflorescence is more perceivable in darker colors such as Onyx Black and Chocolate Brown as there is a higher level of contrast than with other blended colors. It does not, in any way, compromise the functionality or the structural integrity of the product. Although efflorescence cannot be prevented, it will wash off over time or can be cleaned with efflorescence cleaner. Techo-Bloc accepts no responsibility or liability for this condition.

POLYMERIC HAZE

Polymeric haze from the use of polymeric joint sand may appear on your concrete products if the sand was not removed from the surface of the paver properly. This does not, in any way, affect the integrity of the product or your installation. The hazing will weather away naturally with time and rain. It can be removed with a specialized cleaner; you are advised to contact your contractor or the polymeric sand company used for instructions and recommendations. Techo-Bloc accepts no responsibility or liability for this occurrence.

CONSTRUCTION RESIDUE

A by-product of cutting with a saw is residue-filled water or concrete dust. Residue filled water or re-hydrated dust can cling to the surface and leave a concrete stain. It is recommended to wash and remove the water or concrete dust from the surface of the pavers before it dries. Construction residue can also happen through soil disturbance or environmental elements. These contaminants should be removed immediately but do not affect the integrity of the product or your installation. Techo-Bloc accepts no responsibility or liability for these occurrences.

PROPER COLOR DISTRIBUTION AND LAYING TECHNIQUES

Proper installation enhances the overall color of pavement. Units should be randomly picked from at least two pallets when installing. This creates an attractive and subtle blending of color.

COMPACTOR AND SNOW REMOVAL EQUIPMENT

Pavers with an embossed surface (high and low points) are more susceptible to scuff marks from vibratory plate compactors used in most concrete paver installations. Techo-Bloc recommends the use of a urethane mat between the plate and the paver surface during compacting. Contact your equipment supplier for more information about accessories for this purpose. Also, snow removal equipment should have the proper spacing, bumpers, and rubber blade guards to protect the surface of the pavers. Techo-Bloc is not responsible for damage caused by the misuse of compaction or snow removal equipment, which may leave scuff marks, or burns on pavers.

NOTE:

For industry information about efflorescence, polymeric haze or information pertaining to installation specifications, please visit www.icpi.org, www.ncma.org or www.cmha.org.

INSTALLATION GUIDES:

The installation diagrams are only a guide or a reference and cannot cover all possible situations. Therefore, Techo-Bloc declines all responsibility regarding the applicability of the installation diagrams with regards to any specific site. The customer is fully responsible for product installation and Techo-Bloc recommends the use of qualified professionals, such as an architect, a master contractor or an engineer who will be able to customize the installation diagram to the specific site conditions.

WARRANTY



LIMITED WARRANTY

The warranty applies to drycast concrete landscaping and masonry products (“products”) manufactured by Techo-Bloc and intended for institutional, commercial or industrial use. Does not apply to Wet Cast collection products. All Techo-Bloc products comply with and surpass current applicable standards established by the American Society for Testing and Materials (ASTM) and the Canadian Standards Association (CSA).

Techo-Bloc warrants its products against these standards for a period of five (5) years commencing on the date the products are delivered to the job site. The warranty covers the structural integrity of the products and any abnormal deterioration of its surfaces that may be caused by the use of rock salt (sodium chloride [NaCl]) for de-icing pavers, slabs or steps.

The warranty applies on the condition that the plans and specifications of the project have been prepared by a qualified professional.


THE FOLLOWING CONDITIONS OR EVENTS ARE NOT COVERED BY THE WARRANTY:

1. Claims regarding the color, size, or texture of a product already installed. An installed product confirms the acceptance of the product received.
2. Splitting, chipping or other breakage that could be caused by impact, abrasion or overloading.
3. Damage or loss caused by settling or other movements or failure of the structure or other components to which the products are set upon.
4. Damage or loss caused by improper design or installation which does not comply with codes, standards, the guidelines of the Concrete Masonry and Hardscapes Association (CMHA), state-of-the-art or Techo-Bloc guidelines.
5. Natural disaster, including but not limited to, earthquakes, floods or other similar natural disasters.
6. Acts of negligence or misuse by the owner, installer or any third party.
7. Color matching to printed representations.
8. Efflorescence, polymeric haze or construction-born residue.
9. Damage or loss caused by impacts by compaction or snow removal equipment.
10. Installation of Wet Cast collection products in a commercial, industrial or institutional setting destined for public use.

In the event of failure of the products within the scope of this warranty, Techo-Bloc will replace these products only, following inspection of the products by Techo-Bloc or its representatives. Techo-Bloc’s responsibility is limited to the cost of the product and not to those related to their installation. Techo-Bloc will honor this warranty with a proof of purchase such as an invoice or delivery slip.

GET INSPIRED

Follow us on social media





TECHO — BLOC

INSPIRING
COMMERCIAL
ARTSCAPES

